GGT OED - DIVISION

ADRRESS : GAZNI GENERAL TRADING COMPANY L.L.C.
UNITED ARAB EMIRATES





About the Company

Gazni General Trading Company L.L.C – Oil & Energy Division (GGTOED) was established in 2012, and operates as a technically integrated organization supported by decades of combined industry experience across upstream, midstream, and downstream oil and gas operations. The company has achieved sustained growth and operational maturity,developing a strong and expanding footprint across the GCC region through strategic alliances, market penetration, and long-term contractual engagements

OIL & GAS WELL-HEAD EQUIPMENTS | TRANSFORMERS AUTOMATION | PIPE FITTINGS | PUMPS | WAREHOUSE

Technical Scope & Sector Coverage

GGTOED delivers end-to-end, technically compliant solutions across multiple industry verticals, including:

Upstream Operations

- Technical consulting and project support for exploration, production, and field development
- Supply and sourcing of oilfield equipment, consumables, and production chemicals
- Support services for onshore and offshore drilling operations
- Vendor coordination and OEM interfacing

Midstream Operations

- Crude oil and refined product trading
- Pipeline-related materials and logistics coordination
- Storage, terminal operations support, and bulk handling
- Marine logistics and offshore supply chain integration

Downstream Operations

- Trading and distribution of oil products, fuels, and industrial lubricants
- Marine fuels and bunkering services
- Refinery-related supply support and product offtake coordination
- Lubricant sourcing for industrial, automotive, and marine applications



Marine & Offshore Services

- Marine fuel supply and bunkering operations
- Offshore logistics and vessel coordination
- Ship-to-ship (STS) operations support
- Compliance with international maritime regulations and port authority requirement

Investment, Management & Consulting

- Investment structuring and asset management within the energy sector
- Business, commercial, and technical consulting for oil & gas projects
- Market entry strategies and operational optimization
- Contractual advisory, procurement strategies, and vendor qualification



Supply Chain, Trading & Logistics

- Global sourcing of petroleum products, lubricants, and oilfield materials
- End-to-end supply chain management, including:
- Procurement and vendor qualification
- Logistics planning and execution
- Customs, documentation, and regulatory compliance
- Strong partnerships with OEMs, refiners, traders, and marine operators

Quality, HSE & Compliance

GGTOED operates in alignment with international oil and gas industry standards, maintaining a strong focus on:

- **HSE management systems and risk mitigation**
- **Quality assurance and quality control (QA/QC)**
- **Compliance with local and international regulatory frameworks**
- **Operational safety, environmental stewardship, and sustainability**

The company follows best practices aligned with ISO-based management systems, industry codes, and client-specific prequalification requirements.

Execution Model & Strategic Strengths

- **Client-centric and performance-driven execution model**
- **Technically qualified personnel with regional expertise**
- **Strong industry partnerships and OEM alliances**
- **Cost-effective, reliable, and schedule-driven delivery**
- **Continuous improvement, innovation, and operational excellence**



Corporate Values

Gazni General Trading Company L.L.C remains firmly committed to:

- **Professionalism and integrity**
- **Technical excellence and compliance**
- **Long-term stakeholder value creation**
- **Ethical business conduct and corporate governance**

Industries We Serve




OIL AND GAS



PETROCHEMICAL



WATERWORKS




- FLANGES
- ELBOW
- STUD
- REDUCER
- METALLIC GASKET
- PIPE FITTINGS


Pipe Fittings & Flanges OEM Service

UCG Energy specializes in manufacturing & exporting carbon steel pipe fittings and flanges.
The professional manufacturing capacity of UCG FITTINGS strongly guarantees the high quality, competitive price and short delivery time. UCG FITTINGS has have accumulated rich experience and good reputation in years of serving customers, which making us a reliable pipe fittings & flange supplier to clients from countries over the world. Clients of UCG FITTINGS are mainly from Russia, UAE, Saudi Arabia, Iraq, Iran, Kuwait, Oman, Thailand, Vietnam, South Africa, Nigeria, Chile, Brazil, Canada, Australia, Poland, Lithuania, etc. more than 40 countries.











ANSI - Flanges



ANSI B16.5 Class 150 Flanges



ANSI B16.5 Class 300 Flanges



ANSI B16.5 Class 400 Flanges



ANSI B16.5 Class 600 Flanges



ANSI B16.5 Class 1500 Flanges

ANSI - ASTM - Elbow

W eare Global Manufacturers, Stockist, and Exporters of High Quality Standard Nickel Alloy 200 ASME B16.9 Elbow, ASTM A403 SS ASME B16.9 Elbow, ANSI B16.9 Elbow, Monel Buttweld ANSI B16.9 Elbow, 304 SS ASME B16.9 Elbow, Stainless Steel ASME B16.9 Elbow, Buttweld ANSI B16.9 Elbow Fittings, Alloy Steel ASME B16.9 Elbow, Butt weld ANSI B16.9 Elbow, Duplex Steel ASME B16.9 Elbow Fittings, ANSI B16.9 Elbow available in all dimensions.



ANSI - Metallic Gasket

	• **Spiral Wound Gasket** ◦ Gasker - SW, ANSI Cl **150,** B16.5, ASME B16.20 (in) ◦ Gasket - SW, ANSI Cl **300,** B16.5, ASME B16.20 (in) ◦ Gasket - SW, ANSI Cl **400,** B16.5, ASME B16.20 (in) ◦ Gasker - SW, ANSI Cl **600**, B16.5, ASME B16.20 (in) ◦ Gasket - SW, ANSI Cl **900**, B16.5, ASME B16.20 (in) ◦ Gasket - SW, ANSI Cl **1500**, B16.5, ASME B16.20 (in) ◦ Gasket- SW, ANSI Cl **2500**, B16.5, ASME B16.20 (in)		• **Ring Type Joint Gasket** ◦ Gasker - RTJ, ANSI Cl **150-2500**, ASME B16.20, Ring Numbers (in) ◦ Gasker -RTJ, ANSI Cl **150-2500**, ASME 16.20, Ring Dimensions (in)
	• **Full Face Gasket** ◦ Gasker - FF, ANSI Cl **125/150**, ASME B16.21 (in) ◦ Gasket- FF, ANSI Cl 250/**300**, ASME B16.21 (in)		• **Ring Type Gasket** ◦ Gasket - RT, ANSI Cl **125/150**, ASME B16.21 (in) ◦ Gasket - RT, ANSI Cl **250/300**, ASME B16.21 (in)

2026

ANSI - Metallic Gasket



Studs:

Material & Mechanical Properties: ASTM A193 Grade B7

Threads: ASME B1.1, UNC or UN8, Class 2A

Nuts:


Material & Mechanical Properties: ASTM A194 Grade 2H


Dimensions: ASME B18.2.2

HIGH STRENGTH STRUCTURAL BOLTS

Dimensions of Heavy Hex Structural Bolts

Nominal Size or Basic Product Diameter		E		F			G		H			R		L_T	Y	Runout of Bearing Surface FIM
		Body Diameter		Width Across Flats			Width Across Corners		Height			Radius of Fillet		Thread Length	Transition Thread Length	
		Max	Min	Basic	Max	Min	Max	Min	Basic	Max	Min	Max	Min	Basic	Max	Max
1/2	0.5000	0.515	0.482	7/8	0.875	0.850	1.010	0.969	5/16	0.323	0.302	0.031	0.009	1.00	0.19	0.016
5/8	0.6250	0.642	0.605	1-1/16	1.062	1.031	1.227	1.175	25/64	0.403	0.378	0.062	0.021	1.25	0.22	0.019
3/4	0.7500	0.768	0.729	1-1/4	1.250	1.212	1.443	1.383	15/32	0.483	0.455	0.062	0.021	1.38	0.25	0.022
7/8	0.8750	0.895	0.852	1-7/16	1.438	1.394	1.660	1.589	35/64	0.563	0.531	0.062	0.031	1.50	0.28	0.025
1	1.0000	1.022	0.976	1-5/8	1.625	1.575	1.876	1.796	39/64	0.627	0.591	0.093	0.062	1.75	0.31	0.028
1-1/8	1.1250	1.149	1.098	1-13/16	1.812	1.756	2.093	2.002	11/16	0.718	0.658	0.093	0.062	2.00	0.34	0.032
1-1/4	1.2500	1.277	1.223	2	2.000	1.938	2.309	2.209	25/32	0.813	0.749	0.093	0.062	2.00	0.38	0.035
1-3/8	1.3750	1.404	1.345	2-3/16	2.188	2.119	2.526	2.416	27/32	0.878	0.810	0.093	0.062	2.25	0.44	0.038
1-1/2	1.5000	1.531	1.470	2-3/8	2.375	2.300	2.742	2.622	15/16	0.974	0.902	0.093	0.062	2.25	0.44	0.041






- API 6A Valves
- Wellhead Equipment
- Christmas Tree
- Manifold
- Wellhead Components
- API 6A Components
- Blowout Prevention System
- Multiport Selector Valve Manifold
- Flowback Equipment & System
- Sand Management Solutions
- Hydraulic Systems
- H2S Removal Equipment

Well Head Equipments

United Capital Group Energy L.L.C., USA is a engineering and manufacturing company based in America. We designs, fabricates, and supplies wide variety of equipment, such as wellhead assembly, Christmas tree, blowout preventers, choke manifolds, kill manifolds, wellhead desander, plug catchers, high-pressure API 6A valves, emergency shutdown valves and ESD system, high-pressure pipe & fittings.



Casing Head Housing



Tubing Head Adapter




API 6A Check Valves



Surface Test Tree




Christmas Tree



Kill Manifold



Choke manifold



Well Control System Equipment

2026



Gazni General Trading LLC
United Arab Emirates

- POWER TRANSFORMER
- SPECIALIZED TRANSFORMER
- DISTRIBUTION KIOSK TRANSFORMER
- ELECTRICAL INDUSTRY GRADE PANELS
- RESISTORS
- SPARE PARTS
- RMU
- SWITCH GEARS
- OIL IMMERSED TRANSFORMER

Transformers

United Capital Group Energy L.L.C., USA offers a complete chain of services – from consulting to design, manufacture and transport to commissioning and Transformer Lifecycle Management (TLM). As one of the leading transformer manufacturers worldwide, we offer a tight and responsive competence and service network in more than 30 countries in the world.



Power generation



Unit auxiliary transformer




System-interconnecting transformer in high-voltage substations



Plant-feeding transformers for industrial applications

Transformers - Ranges

SOLAR INVERTER DUTY TRANSFORMER



CAPACITY: UP TO 8MV.A

TRANSFORMER WITH BUILT IN A.V.R (HT A.V.R)



CAPACITY: UP TO 20 MVA

TRANSFORMER WITH OLTC (ON LOAD TAP CHANGER)



CAPACITY: UP TO 31.5 MVA

2026

Transformers - Ranges

VPI DRY TYPE TRANSFORMER WITH OLTC



CAPACITY: UP TO 5MVA

VPI DRY TYPE DISTRIBUTION TRANSFORMER



CAPACITY: UP TO 5MVA

DISTRIBUTION TRANSFORMER UP TO 33KV CLASS



CAPACITY: UP TO 5 MVA

2026



Gazni General Trading LLC
United Arab Emirates

- SHUT-OFF VALVE TEST UNITS
- ENGINEERING & REPAIR
- SAFETY VALVE TEST UNIT
- CONTROL MEASUREMENTS
- PSV TESTING
- ACCESSORIES

Shut-Off Valve Test Units

United Capital Group Energy L.L.C., USA offers a large variety of machines and equipment for the repair and testing of any valve type, size and pressure class. Our mission is to supply guidance by sharing our experience. To pioneer, innovate and manufacture first class test and repair equipment for valves. We deliver safety.

The design and configuration of the UCG products are well proven and based on many years of experience in Shut-off valve, Safety valve and Control valve maintenance, testing and repair. The Ventil equipment is fully built in-house and only first class and durable materials are used. Most machines are available from stock at one of the UCG locations across the globe.



Shut-Off Valves Units





MODEL: VCB30

- Vertical clamping and testing of all common valves.
- Available up to 120" / DN 3,000 mm with clamping force up to 5,000 ton.
- Up to 200 ton with rotating bridge, larger models with rail system for quick and safe (un) loading.

Model	Range*	Maximum clamping force	Distance between columns	Distance between sealing adapters	Low pressure Gas test system	High pressure Liquid test system
VCB5	½-6" DN15-150 mm	5 ton	14" 350mm	0-20" 0-500 mm	0-7 bar / 100 PSI Other Gas test systems up to 1,000 bar /14,500 PSI available on request	0-400 bar / 5,800 PSI Other Liquid test systems up to 2,500 bar /36,250 PSI available on request
VCB30-S	½-10" DN15-250 mm	30 ton	18" 460mm	0-30" 0-750 mm		
VCB30-L	½-16" DN15-400 mm	30 ton	28" 720mm	0-40" 0-1000 mm		
VCB50	1-16" DN25-400 mm	50 ton	28" 720mm	0-40" 0-1000 mm		
VCB100	2-24" DN50-600 mm	100 ton	40" 1,000 mm	0-44" 0-1100 mm		
VCB200	2-36" DN50-900 mm	200 ton	55" 1,400 mm	0-60" 0-1500 mm		
VCB500	2-48" DN50-1,600 mm	500 ton	64" 1,600 mm	0-60" 0-1500 mm		

2026

Shut-Off Valve Units



Model	Range*	Maximum clamping force	Distance between columns	Distance between sealing adapters	Low pressure Gas test system	High pressure Liquid test system
HC5	½-6" DN15-150 mm	5 ton	14" 350mm	0-20" 0-500 mm	0-7 bar / 100 PSI Other Gas test systems upto 1,000 bar / 14,500 PSI available on request	0-400 bar /5,800 PSI Other Liquid test systems up to 2,500 bar /36,250 PSI available on request
HC30-S	½-10" DN15-250 mm	30 ton	18" 460 mm	0-30" 0-750 mm		
HC30-L	½-16" DN15 -400 mm	30 ton	28" 720mm	0-40" 0-1,000 mm		
HC50-S	1-10" DN25-250 mm	50 ton	18" 460 mm	0-30" 0-750mm		
HC50-L	½-16" DN15 -400 mm	50 ton	28" 720 mm	0-40" 0-1000 mm		
HC75	1-16" DN25 -400 mm	75 ton	28" 720mm	0-40" 0-1000 mm		
HC100	2-24" DN50 -600 mm	100 ton	40" 1,000 mm	0-44" 0-1100 mm		
HC150	2-24" DN50 -600 mm	150 ton	40" 1000 mm	0-60" 0-1500 mm		
HC250	2-24" DN50 -600 mm	250 ton	40" 1000mm	0-60" 0-1500 mm		
HC400	2-32" DN50 -800 mm	400 ton	48" 1200 mm	0-67" 0-1700 mm		
HC600-S	4-24" DN100-600 mm	600 ton	48" 1,200 mm	0-67" 0-1,700 mm		
HC600-L	4-36" DN100- 900 mm	600 ton	56" 1,400 mm	0-80" 0-2000 mm		
HC800	4-36" DN100- 900 mm	800 ton	55" 1400 mm	0-80" 0-2000 mm		
HC1000	8-40" DN200- 1,000 mm	1,000ton	64" 1,600mm	0-80" 0-2,000 mm		
HC1500	8-40" DN200 - 1,000 mm	1,500 ton	64" 1,600 mm	0-80" 0-2,000 mm		
HC2000	8-48" DN200- 1,200 mm	2,000 ton	80" 2,000mm	0-100" 0-2,500 mm		
HC3000	8-48" DN200 - 1,200 mm	3,000 ton	80" 2,000 mm	0-100" 0-2,500 mm		
HC4000	8-48" DN200- 1,200 mm	4,000 ton	80" 2,000mm	0-100" 0-2,500 mm		

*The range and dimensions can be adapted to the specific application.

2026



Gazni General Trading LLC
United Arab Emirates

- INDUSTRIAL PUMP
- OIL & GAS PUMP
- MARINE PUMP
- RELIEF PUMP
- PUMP CONSULTATION

Industrial Grade Pump

UCG Energy is a company manufacturing & marketing pumps, process equipment and installations. The production facility is located in America.

The pumps manufactured by us include Progressive Cavity Pumps, Twin Screw Pumps, Triple Screw Pumps, Gear Pumps, Lobe Pumps, Vane Pumps, Shuttle Block Pumps as well as Thermic Fluid Pumps. With this complete range of pumps, Pumpsquare offers to the engineers, suppliers, OEM's and users a single source of supply for their pump requirements.



Industrial Pumps



Horizontal Foot Mounted Pump Coupled with Geared Motor



Vertical Flange Mounted Pump Directly Coupled with Motor



Pump with Built-in Relief Valve with facilitation of connection to tank for preventing overheating of pumping media



Pump with Line Mounted Relief Valve

Twin Screw Pump


Series Features:

Capacity Range: up to 550 m3/hr
Viscosity Range: up to 207600 cSt
Temperature Range: up to 80° C
Pressure Range: up to 16 Bar

As the double-start screws meshes, a continuous axially moving voids/pockets generate, which traps the liquid inside it, and hence transfers the fluid, where it required.

These pumps permits an even axial flow without pulsation and silent pumping operation even at a high speed. Axial loads on the rotor are often compensated by an adequate design of the bearing and all the radial forces are self-compensated.

Further, size of a rotor kept small in the design, which enables these pumps to run at a higher speed with direct coupling to the prime mover. Self-compensated radial forces eliminate need of bearing High pressure capacity up to 40 Bar Self-Priming and reversible cartridge design simplifies maintenance problem and saves lead time.



As shown in the above figure, the API version of pump can be provided on demand, which incorporates timing gears on back side. Further, helical timing gears are also provided when requested. Please note that our standard design contains spur timing gears on front side.

Welcome to GGT Oil and Gas Division

We are the largest stockiest of API 5CT Products in GCC.

we specialize in providing all types of pipes and fittings, corrosion application valves & andpumps. with our extensive stock and expertise, we are your go-to resource in the gcc.

We offer a wide range of high-quality products through our group’s leading manufacturingcompany expertise in machining and heavy fabrications.

We offer a wide range of reliable products with prompt delivery and 24/7 customer service support. Trust us for your oil and gas equipment needs.



Quality First

At Flensburg Oil and Gas Division, we prioritize quality in everything we do.

Rigorous Testing and Inspection

Our products undergo rigorous testing and inspection to ensure they meet industry standards and exceed customer expectations.

Certifications

Our Group Support manufacturing company Disha Auto Components Pvt. Ltd is proud to be certified by reputable organizations, including API 5CT and ISO 9001:2015, demonstrating our commitment to delivering reliable and high-quality products.





CERTIFICATE

Quality Management System As per

ISO 9001 : 2015

Evidence of conformity with the above Standard has been furnished and Certified for

DISHA AUTO COMPONENTS PVT. LTD.

Plot No. K - 237, Waluj MIDC Area, Aurangabad - 431 136, Maharashtra, India.

Scope.

Manufacture and Supply of Couplings, PUP Joints, Accessories & Precision Machined Components.

Certificate Registration No. 91/Q/S101

Original Issue Date : 24th June 2021
Certificate Issue Date : 24th June 2021

Certificate Expiry Date : 23rd June 2024
Audit Cycle : 12 Months

This certificate is valid for three years & Subject to the satisfactory completion of annual Surveillance Assessment, Lack of fulfillment of conditions set out for issuance of this certificate may render this certificate invalid.

Managing Director

CS-024-QMS

IQCS CERTIFICATIONS PRIVATE LIMITED

Corporate Office: 9, Akshardham(A), Shanti Park, Upnagar, Nashik- 422006, Maharashtra, India.
Telephone: (0253) 2410430, Fax: (0253) 2410289, Mobile No. +91 9970183617
E-mail: iqcs.global@gmail.com, website: www.iqcsindia.com

This Certificate is Accredited by Emirates International Accreditation Center, Government of Dubai
Address: Dubai Central Laboratory Department - administration Building, Za'beel Street, Next to Main Post office, Second Floor, Offices No. 310-316,
P.O. Box No. 67, Dubai, UAE.
Tel No. +971 4 332 7445, Fax No. +971 4 335 2181, E-mail: info@eaec.gov.in, website: www.eaec.gov.ae

Gazni General Trading LLC
United Arab Emirates



LINED BALL VALVE

Size Range: 0.5” to 12”



LINED BUTTERFLY VALVE

Size Range: 2” to 48”



LINED PLUG VALVE

Size Range: 0.5” to 12”



LINED GLOBE VALVE

Size Range: 0.5” to 6”



LINED DIAPHRAGM VALVE

Size Range: 0.75” to 10”





CERTIFICATIONS
ISO 15848-1
FUGITIVE EMISSION CERTIFIED

AUTOMATION PACKAGE
AND HIGHER SIZES AVAILABLE ON
REQUEST

Protective Coatings

Our corrosion application valves are equipped with advanced protective coatings, ensuring long-lasting performance in harsh lasting environments.

Resistance to Corrosion

Choose from our wide range of corrosion application valves from the United States, engineered to withstand the toughest corrosion challenges in oil and and gas operations.

Reliable and Efficient

Our corrosion application valves are carefully selected and tested to provide reliable and efficient flow control solutions in corrosive environments.

Gazni General Trading LLC
United Arab Emirates



Wide Range of Coupling

Our stock includes a variety of C
joints, perfect fit for your specific

Size: 1.66” to 20
Grade:- H 40,J55, K55,N 80, L80, C 95, T95, P110,Q 125.





Pup joints for Efficient Connections

Choose from our selection of quality API 5 CT pup joints to effectively connect your pipes in oil and gas operations.
Size: 1.66” to 4- 1/2”
Length: as per standard length required by client
Grade:- J55, K55, N80, L80, C 95, T95, P110, Q125





Top-Notch Coupling and Pup joint Solutions

Experience the reliability and durability of our API 5 CT coupling and pupjoint solutions, designed to support your oil and gas operations.

Gazni General Trading
United Arab Emirates LLC

Durable Flow Iron

Our flow iron products are built to withstand high-pressure flow conditions, ensuring safe and efficient oil and gas operations.

Secure Connections with Hammer Unions

Experience hassle-free connections with our hammer unions, designed for quick and reliable installation in various oil and gas applications.

Seamless Integration

Combine our flow iron and hammer unions for seamless integration in your oil and gas operations, guaranteeing optimal flow control and safety.



Gazni General Trading LLC
United Arab Emirates



Seamless and ERW Pipes and Fittings

Seamless Pipes and Fitting

Our seamless pipes and fittings offer superior strength and reliability, ensuring efficient fluid transportation in demanding applications.

ERW Pipes and Fittings

Choose our ERW pipes and fittings for cost-effective solutions without compromising on quality and performance in your oil and gas projects.





Enhance Drilling Efficiency

Our downhole drilling accessories are designed to improve drilling efficiency and optimize oil and gas production.

Premium Quality Materials

We source the highest quality materials to manufacture our downhole drilling accessories, ensuring durability and reliability in challenging drilling environments. we stock NONMag Drilling Collars, Drill Pipes etc. in UAE.

Vast Selection

Choose from our extensive range of downhole drilling accessories, tailored to meet the specific requirements of your oil and gas operations.









Onshore Baskets

Experience the convenience and efficiency of ouronshore baskets, available for both rental andnew purchases to support your oil and gas projects.

Offshore Baskets

Ensure the safe transport and storage of equipment and materials with our reliable offshore baskets, designed to withstand harshoffshore conditions.

Rental and Purchase Options

Explore our flexible rental and purchase optionsfor onshore and offshore baskets, providing cost-effective solutions for your oil and gas operations.



Shaped Forgings & Machined Components


- Flanges
- Valve Bodies
- Wellhead Components
- Drill Bits
- Pressure Vessels
- Pump Components
- Compressor Part
- Threaded Fasteners
- Instrumentation Components
- Structural Components
- Blowout Preventer (BOP) Components
- Subsea Components

Custom Shaped Forgings

Our expert team specializes in manufacturing custom-shaped forgings,
meeting the unique requirements of your oil and gas projects.

Precision Machined Components

Choose our precision machined components for accurate
and reliable performance in critical applications within the oil and gas industry.







Raw Material for Oil and Gas Machine shop

- Raw Material for Oil and Gas Machine shop
- Low Alloy Steel
- Stainless Steel (e.g., 410, 316, 17-4 PH)
- Nickel-Based Alloys (e.g., Inconel, Monel)
- Titanium
- Duplex and Super Duplex Stainless Steels



High-Quality Raw Materials

Our stock includes API 6A raw materials,
ensuring the availability of superior quality materials
for your oil and gas equipment manufacturing needs.

Compliance and Traceability

Rest assured that our API 6A raw materials,
are compliant with industry standards and accompanied by full traceability documentation.

Website: www.gaznigeneraltrading

Connect with us.



Gazni General Trading LLC
United Arab Emirates

UAF United Accreditation Foundation

IAF Member of Multilateral Recognition Arrangement

www.gaznigeneraltrading.com